

Implementation of a simple graph with an edge list

Variables

vertices: set of vertices

edges: set of edges

For each vertex, we keep track of the element associated with the vertex and the degree, the in-degree and the out-degree of the vertex, that is, a 4-tuple [*element*, *degree*, *in-degree*, *out-degree*]. For each edge, we keep track of the element associated with the edge, whether the edge is directed and the end vertices of the edge, that is, a 4-tuple [*element*, *directed?*, *vertex₁*, *vertex₂*] where *vertex₁* is the origin of the edge and *vertex₂* is the destination if the edge is directed.

invariant: *vertices* is the set of vertices of the graph and *edges* is the set of edges of the graph

Initialization

vertices $\leftarrow \emptyset$

edges $\leftarrow \emptyset$

Algorithms

size():

output: size of the graph

return numVertices() + numEdges()

isEmpty():

output: graph is empty?

return size() = 0

elements():

output: collection of elements stored in positions of graph

col \leftarrow empty collection

for each vertex *vertex* in *vertices* **do**

 add element stored in *vertex* to *col*

for each edge *edge* in *edges* **do**

 add element stored in *edge* to *col*

return *col*

positions():

output: collection of positions of graph

col \leftarrow empty collection

for each vertex *vertex* in *vertices* **do**

 add *vertex* to *col*

for each edge *edge* in *edges* **do**

 add *edge* to *col*

return *col*

swapElements(*first*, *second*):

postcondition: elements of *first* and *second* have been swapped

input: positions elements of which are to be swapped

swap elements of *first* and *second*

replaceElement(*position*, *element*):

postcondition: element at *position* in graph has been replaced with *element*

input: *position* element of which is to be replaced with *element*

output: replaced element

temp \leftarrow element of *position*

element of *position* \leftarrow *element*

return *temp*

```

numVertices():
    output: number of vertices of the graph
return (size of vertices)

numEdges():
    output: number of edges of the graph
return (size of edges)

vertices():
    output: collection of the vertices of the graph
    col  $\leftarrow$  empty collection
    for each vertex vertex in vertices do
        add vertex to col
    return col

edges():
    output: collection of the edges of the graph
    col  $\leftarrow$  empty collection
    for each edge edge in edges do
        add edge to col
    return col

aVertex():
    precondition: the graph is nonempty
    output: a vertex of the graph
    vertex  $\leftarrow$  a vertex in vertices
    return vertex

degree(vertex):
    input: vertex of which the degree is to be returned
    output: degree of vertex
return degree of vertex

adjacentVertices(vertex):
    input: vertex the adjacent vertices of which are returned
    output: collection of vertices adjacent to vertex
    col  $\leftarrow$  empty collection
    for each edge in edges do
        if vertex is an end vertex of edge then
            add other end vertex of edge to col
    return col

incidentEdges(vertex):
    input: vertex whose incident edges are returned
    output: collection of edges incident on vertex
    col  $\leftarrow$  empty collection
    for each edge in edges do
        if vertex is an end vertex of edge then
            add edge to col
    return col

endVertices(edge):
    input: edge of which the end vertices are returned
    output: end vertices of edge
return end vertices of edge

opposite(vertex, edge):
    input: vertex and edge

```

```

output: the end vertex of edge different from vertex
precondition: vertex is an end vertex of edge
(first, second)  $\leftarrow$  end vertices of edge
if vertex = first then
    return second
else
    return first

areAdjacent(first, second):
    input: vertices
    output: first and second are adjacent?
found  $\leftarrow$  false
for each edge in edges do
    found  $\leftarrow$  found or (first and second are the end vertices of edge)
return found

directedEdges():
    output: collection of directed edges of the graph
col  $\leftarrow$  empty collection
for each edge edge in edges do
    if edge is directed then
        add edge to col
return col

undirectedEdges():
    output: collection of undirected edges of the graph
col  $\leftarrow$  empty collection
for each edge edge in edges do
    if edge is not directed then
        add edge to col
return col

destination(edge):
    input: edge
    output: destination of edge
    precondition: edge is directed
return destination of edge

origin(edge):
    input: edge
    output: origin of edge
    precondition: edge is directed
return origin of edge

isDirected(edge):
    input: edge
    output: edge is directed?
return edge is directed?

inDegree(vertex):
    input: vertex of which the indegree is to be returned
    output: indegree of vertex
return indegree of vertex

outDegree(vertex):
    input: vertex of which the outdegree is to be returned

```

```

output: outdegree of vertex
return outdegree of vertex

inIncidentEdges(vertex):
    input: vertex
    output: collection of incoming edges of vertex
    col  $\leftarrow$  empty collection
    for each edge edge in edges do
        if edge is directed then
            if vertex is destination of edge then
                add edge to col
    return col

outIncidentEdges(vertex):
    input: vertex
    output: collection of outgoing edges of vertex
    col  $\leftarrow$  empty collection
    for each edge edge in edges do
        if edge is directed then
            if vertex is origin of edge then
                add edge to col
    return col

inAdjacentVertices(vertex):
    input: vertex
    output: collection of vertices adjacent to vertex along incoming edges
    col  $\leftarrow$  empty collection
    for each edge edge in edges do
        if edge is directed then
            if vertex is destination of edge then
                add origin of edge to col
    return col

outAdjacentVertices(vertex):
    input: vertex
    output: collection of vertices adjacent to vertex along outgoing edges
    col  $\leftarrow$  empty collection
    for each edge edge in edges do
        if edge is directed then
            if vertex is origin of edge then
                add destination of edge to col
    return col

insertEdge(first, second, element):
    input: vertices and element
    output: undirected edge with end vertices first and second and element element
    precondition: there is no edge between first and second, first and second are different
    postcondition: undirected edge with end vertices first and second and element element has been added to the graph
    edge  $\leftarrow$  undirected edge with end vertices first and second and element element
    add to edge to edges
    degree of first  $\leftarrow$  degree of first + 1
    degree of second  $\leftarrow$  degree of second + 1
    return edge

insertDirectedEdge(first, second, element):
    input: vertices and element

```

output: directed edge from *first* to *second* with element *element*
precondition: there is no undirected edge between *first* and *second*, there is no directed edge from *first* to *second*, *first* and *second* are different
postcondition: directed edge from *first* to *second* with element *element* has been added to the graph
edge \leftarrow directed edge from *first* to *second* with element *element*
 add to *edge* to *edges*
 degree of *first* \leftarrow degree of *first* + 1
 degree of *second* \leftarrow degree of *second* + 1
 outdegree of *first* \leftarrow outdegree of *first* + 1
 indegree of *second* \leftarrow indegree of *second* + 1
return *edge*

insertVertex(*element*):
input: element
output: vertex with element *element*
postcondition: vertex with element *element* has been added to graph
vertex \leftarrow vertex with element *element* and degree, indegree and outdegree all 0
 add *vertex* to *vertices*
return *vertex*

removeVertex(*vertex*):
input: vertex to be removed
postcondition: *vertex* and edges incident on *vertex* have been removed from graph
for each edge *edge* in *edges* **do**
 if *vertex* is end vertex of *edge* **then**
 removeEdge(*edge*)
 remove *vertex* from *vertices*

removeEdge(*edge*):
input: edge to be removed
postcondition: *edge* has been removed from graph
first, *second* \leftarrow end vertices of *edge*
 degree of *first* \leftarrow degree of *first* - 1
 degree of *second* \leftarrow degree of *second* - 1
if *edge* is directed **then**
 outdegree of *first* \leftarrow outdegree of *first* - 1
 indegree of *second* \leftarrow indegree of *second* - 1
 remove *edge* from *edges*

makeUndirected(*edge*):
input: edge
postcondition: *edge* is undirected
if edge *edge* is directed **then**
 first, *second* \leftarrow end vertices of *edge*
 out-degree of *first* \leftarrow out-degree of *first* - 1
 in-degree of *second* \leftarrow in-degree of *second* - 1
 set *edge* to be undirected

reverseDirection(*edge*):
input: edge
precondition: *edge* is directed
postcondition: direction of *edge* has been reversed
first, *second* \leftarrow end vertices of *edge*
 out-degree of *first* \leftarrow out-degree of *first* - 1
 in-degree of *first* \leftarrow in-degree of *first* + 1
 in-degree of *second* \leftarrow in-degree of *second* - 1

out-degree of *second* \leftarrow out-degree of *second* + 1
swap origin and destination of *edge*

setDirectionFrom(*edge*, *vertex*):
input: edge and vertex
precondition: *vertex* is an end vertex of *edge*
postcondition: *edge* has been directed away from *vertex*
left as an exercise

setDirectionTo(*edge*, *vertex*):
input: edge and vertex
precondition: *vertex* is an end vertex of *edge*
postcondition: *edge* has been directed to *vertex*
left as an exercise