

Relationship Between the Sum of Squared Difference (SSD) and Cross Correlation for Template Matching

Konstantinos G. Derpanis
York University
kosta@cs.yorku.ca
Version 1.0

December 23, 2005

In this note the relationship between sum of squared difference (SSD) and cross correlation template matching approaches are reviewed. SSD matching is defined as follows,

$$d(u, v) = \sum_{x, y} \left(f(x, y) - t(x - u, y - v) \right)^2 \quad (1)$$

and cross correlation,

$$c(u, v) = f(x, y)t(x - u, y - v) \quad (2)$$

where f is the image, t the template and summation is over positions x, y under the template positioned at u, v . SSD can be viewed as the squared Euclidean distance.

Expanding (1), yields,

$$d(u, v) = \sum_{x, y} f^2(x, y) - 2f(x, y)t(x - u, y - v) + t(x - u, y - v)^2. \quad (3)$$

Note that the term $\sum_{x, y} t(x - u, y - v)^2$ is constant. Assuming that the term $\sum_{x, y} f^2(x, y)$ (i.e., the local image energy) is approximately constant, the remaining term (i.e., cross correlation term)

$$c(u, v) = f(x, y)t(x - u, y - v) \quad (4)$$

is a measure of the similarity between the image and the template; the larger the value of c , the more similar the image and template are.